



SASU DIFFUSIONS AROMATIQUES

Edité le : 10/02/2026 par AC

SAS DIFFUSIONS AROMATIQUES - VIDARA Groupe

558 allée des Parfums

Parc d'activités "Les Hauts de Grasse"

06530 SAINT-CEZAIRE-SUR-SIAGNE

Tel : +33 (0)4 93 60 82 82 Fax : +33 (0)4 93 60 82 79

Site : www.diffusions-aromatiques.fr Mail : contact@diffusions-aromatiques.fr

Technical Data Sheet

CISTUS SPAIN OIL ORG.

Manufacture SASU DIFFUSIONS AROMATIQUES

Reference : CISTUS SPAIN OIL ORG.

GENERAL CHARACTERISTICS

<i>BOTANICAL NAME :</i>	Cistus ladaniferus
<i>GRADE :</i>	100% Pure and natural
<i>MODE OF OBTAINING :</i>	Steam distillation of Cistus ladaniferus
<i>INCI NAME :</i>	CISTUS LADANIFERUS LEAF OIL
<i>PRODUCT ORIGIN :</i>	On request, according to each batch
<i>SHELF LIFE :</i>	24 months in below conditions, after this time it can be used after control.
<i>Storage conditions :</i>	Keep in tightly closed container in a cool and dry place, protected from light.
<i>REVISION DATE :</i>	10/02/2026

ORGANOLEPTIC CHARACTERISTICS

<i>ODOR :</i>	Woody ; balsamic ; ambery
<i>Appearance :</i>	Liquid
<i>Color :</i>	Greenish yellow to reddish brown
<i>Solubility(ies) :</i>	Insoluble in water, soluble in ethanol

PHYSICO-CHEMICAL PROPERTIES

<i>Relative density (d_{20/20}) :</i>	[0.880 ; 0.935]
<i>Refractive index to 20°C :</i>	[1.467 ; 1.485]
<i>Flash point :</i>	45°C
<i>OPTICAL ROTATION (°) :</i>	[-20 ; 40]
<i>PEROXIDE INDEX (mmol/O₂) :</i>	On request - if applicable
<i>MELTING POINT (capillarity) °C :</i>	ND

REGULATORY DATA

<i>FOOD GRADE :</i>	Yes, according to batches (on request)
<i>ADDITIVES :</i>	/
<i>RESIDUAL EXTRACTION SOLVENT :</i>	/
<i>SOLVENTS (%) :</i>	/
<i>ANTIOXIDANTS :</i>	/
<i>TERPENOIDES :</i>	Eucalyptol <0.90% ; Camphor <0.70%
<i>ETHICAL INFORMATION :</i>	Kosher / Halal (according to batches ; on request)
<i>% renewable carbon :</i>	100%
<i>VOC SWISS :</i>	56.88%

CISTUS SPAIN OIL ORG.

LEGISLATION :

FDA : 172.510

TARIF DOUANIER / HS CODE : 33012949

COE : 134

REACH registration : exempted (imported or manufactured <1T/year)

FEMA : 2609

CAS EINECS : 89997-74-0

EINECS : 289-711-7

C.A.S : 8016-26-0