



SASU DIFFUSIONS AROMATIQUES

Edité le : 17/04/2025 par AC

558 allée des Parfums

Parc d'activités "Les Hauts de Grasse"

06530 SAINT-CEZAIRE-SUR-SIAGNE

Tel : +33 (0)4 93 60 82 82 Fax : +33 (0)4 93 60 82 79

Site : www.diffusions-aromatiques.fr Mail : contact@diffusions-aromatiques.fr

Technical Data Sheet

NEROLI EGYPT OIL

Manufacture SASU DIFFUSIONS AROMATIQUES

Reference : NEROLI EGYPT OIL

CARACTERISTIQUES GENERALES

<i>INCI NAME :</i>	CITRUS AURANTIUM FLOWER OIL
<i>BOTANICAL NAME :</i>	Citrus aurantium L. subsp. aurantium syn. Citrus aurantium L. subsp. amara var. pumilia (fam. Rutaceae)
<i>MODE OF OBTAINING :</i>	Steam distillation of bitter orange flowers
<i>GRADE :</i>	100% Pure and natural
<i>PRODUCT ORIGIN :</i>	On request, according to each batch
<i>INCI NAME OF CHINA FDA :</i>	/
<i>SHELF LIFE :</i>	24 months in below conditions, after this time it can be used after control.
<i>Storage conditions :</i>	Keep in tightly closed container in a cool and dry place, protected from light.
<i>REVISION DATE :</i>	07/04/2025

CARACTERISTIQUES ORGANOLEPTIQUES

<i>Appearance :</i>	Liquid
<i>Color :</i>	Pale yellow to amber yellow
<i>ODOR :</i>	Characteristic, Flowery, fresh
<i>Solubility(ies) :</i>	Insoluble in water, soluble in ethanol

CARACTERISTIQUES PHYSICO-CHIMIQUES

<i>Relative density (d_{20/20}) :</i>	[0.864 ; 0.881]
<i>Refractive index to 20°C :</i>	[1.460 ; 1.480]
<i>Flash point :</i>	61°C
<i>OPTICAL ROTATION (°) :</i>	[+1° ; +14°]
<i>PEROXIDE INDEX (mmol/O₂) :</i>	On request - if applicable
<i>MELTING POINT (capillarity) °C :</i>	ND

REGULATORY DATA

<i>VOC RATE :</i>	< 12%
<i>FOOD GRADE :</i>	Yes, according to batches (on request)
<i>ETHICAL INFORMATION :</i>	KOSHER / HALAL (according to batches ; on request)
<i>TERPENOIDES :</i>	/
<i>RESIDUAL EXTRACTION SOLVENT :</i>	/
<i>SOLVENTS (%) :</i>	/
<i>ANTIOXIDANTS :</i>	/
<i>ADDITIVES :</i>	/

NEROLI EGYPT OIL

PRESERVATIVE : /

% renewable carbon : 100%

LEGISLATION :

REACH registration : 01-2120763169-46-****

FDA : 182.20

COE : 136n

EINECS : 277-143-2

CAS EINECS : 72968-50-4

FEMA : 2771

C.A.S : 8016-38-4