



## SASU DIFFUSIONS AROMATIQUES

Edité le : 24/02/2026 par MCL

SAS DIFFUSIONS AROMATIQUES - VIDARA Groupe

558 allée des Parfums

Parc d'activités "Les Hauts de Grasse"

06530 SAINT-CEZAIRE-SUR-SIAGNE

Tel : +33 (0)4 93 60 82 82 Fax : +33 (0)4 93 60 82 79

Site : [www.diffusions-aromatiques.fr](http://www.diffusions-aromatiques.fr) Mail : [contact@diffusions-aromatiques.fr](mailto:contact@diffusions-aromatiques.fr)

### Technical Data Sheet

## LEEK OIL

Manufacture SASU DIFFUSIONS AROMATIQUES

Reference : LEEK OIL

### GENERAL CHARACTERISTICS

<i>MODE OF OBTAINING :</i>	Steam distillation of Allium porrum
<i>BOTANICAL NAME :</i>	Allium porrum
<i>PRODUCT ORIGIN :</i>	On request, according to each batch
<i>GRADE :</i>	100% Pure and natural
<i>INCI NAME :</i>	-
<i>SHELF LIFE :</i>	24 months in below conditions, after this time it can be used after control.
<i>Storage conditions :</i>	Store between 5 and 10°C in tightly closed packages and protect from light.
<i>REVISION DATE :</i>	24/02/2026

### ORGANOLEPTIC CHARACTERISTICS

<i>Appearance :</i>	Liquid
<i>Color :</i>	Yellow to brown
<i>ODOR :</i>	Characteristic of fresh leaves Leek
<i>Solubility(ies) :</i>	Insoluble in water, soluble in ethanol

### PHYSICO-CHEMICAL PROPERTIES

<i>Flash point :</i>	> 37°C
<i>OPTICAL ROTATION (°) :</i>	1.20
<i>Refractive index to 20°C :</i>	[1.515 ; 1.580]
<i>Relative density (d<sub>20</sub>/20) :</i>	[1.012 ; 1.062]
<i>PEROXIDE INDEX ( mmol/O<sub>2</sub>) :</i>	On request - if applicable
<i>MELTING POINT (capillarity) °C :</i>	ND
<i>SPECIFIC GRAVITY (25°C g/cm<sup>3</sup>) :</i>	ND

### REGULATORY DATA

<i>FOOD GRADE :</i>	YES
<i>ETHICAL INFORMATION :</i>	Kosher / Halal (on request)
<i>RESIDUAL EXTRACTION SOLVENT :</i>	/
<i>SOLVENTS (%) :</i>	/
<i>ANTIOXIDANTS :</i>	/
<i>ADDITIVES :</i>	/
<i>TERPENOIDES :</i>	Does not contains Camphor, Eucalyptol, Menthol
<i>% renewable carbon :</i>	100%

# LEEK OIL

VOC SWISS : 0%

## **LEGISLATION :**

TARIF DOUANIER / HS CODE : 33012949

COE : LM9511

REACH registration : Exempted (food grade only)

EINECS : 283-496-3

C.A.S : 84650-15-7