



SASU DIFFUSIONS AROMATIQUES

Edité le : 15/04/2026 par AC

SAS DIFFUSIONS AROMATIQUES - VIDARA Groupe

558 allée des Parfums

Parc d'activités "Les Hauts de Grasse"

06530 SAINT-CEZAIRE-SUR-SIAGNE

Tel : +33 (0)4 93 60 82 82 Fax : +33 (0)4 93 60 82 79

Site : www.diffusions-aromatiques.fr Mail : contact@diffusions-aromatiques.fr

Technical Data Sheet

TREPANOL / 9 DECEN-1-OL / ROSALVA

Manufacture SASU DIFFUSIONS AROMATIQUES

Reference : TREPANOL / 9 DECEN-1-OL / ROSALVA

GENERAL CHARACTERISTICS

<i>SYNONYMS :</i>	9-decen-1-ol, Rosalva, Trepanol, Decylenic Alcohol
<i>FORMULA :</i>	C ₁₀ H ₂₀ O
<i>GRADE :</i>	Synthetic
<i>PRODUCT ORIGIN :</i>	On request, according to each batch
<i>INCI NAME :</i>	DECENOL
<i>Storage conditions :</i>	Keep in tightly closed container in a cool and dry place, protected from light.
<i>REVISION DATE :</i>	15/04/2026
<i>SHELF LIFE :</i>	24 months in below conditions, after this time it can be used after control.

ORGANOLEPTIC CHARACTERISTICS

<i>Appearance :</i>	Liquid
<i>Color :</i>	Colorless
<i>ODOR :</i>	of flowers, of aldehyd, of rose
<i>Solubility(ies) :</i>	Insoluble in water, soluble in ethanol

PHYSICO-CHEMICAL PROPERTIES

<i>Relative density (d_{20/20}) :</i>	[0.840 ; 0.852]
<i>Refractive index to 20°C :</i>	[1.445 ; 1.450]
<i>Flash point :</i>	> 100°C
<i>ASSAY (%GC) :</i>	> 97%
<i>ACID VALUE (mg KOH/g) :</i>	<1
<i>OPTICAL ROTATION (°) :</i>	ND
<i>PEROXIDE INDEX (mmol/O₂) :</i>	On request
<i>MELTING POINT (capillarity) °C :</i>	-19.1°C
<i>SPECIFIC GRAVITY (25°C g/cm³) :</i>	/

REGULATORY DATA

<i>RESIDUAL EXTRACTION SOLVENT :</i>	/
<i>FOOD GRADE :</i>	NO
<i>SOLVENTS (%) :</i>	/
<i>TERPENOIDES :</i>	Does not contains Camphor, Eucalyptol, Menthol
<i>ETHICAL INFORMATION :</i>	Kosher / Halal (on request)
<i>ANTIOXIDANTS :</i>	/

TREPANOL / 9 DECEN-1-OL / ROSALVA

ADDITIVES : /
PRESERVATIVE : /
% renewable carbon : ND
VOC SWISS : 0%

Description

MOLECULAR WEIGHT : 156.2652

LEGISLATION :

REACH registration : 01-2120767272-53-****
TARIF DOUANIER / HS CODE : 2905299090
FEMA : 3103
EINECS : 235-878-6
C.A.S : 13019-22-2